	Application No.	Applicant(s)
Notice of Allowability	10/019,475 Examiner	NEFF ET AL. Art Unit
y	Examiner	Artonic
	Courtney Thomas	2882
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included not will be mailed in due course. THIS
1. This communication is responsive to 3/22/04.		
2. The allowed claim(s) is/are <u>1-4 and 7-30</u> .		
3. The drawings filed on 22 March 2004 are accepted by the Examiner.		
4. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	(PTO-413),
Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. Other	

Application/Control Number: 10/019,475 Page 2

Art Unit: 2882

DETAILED ACTION

Drawings

1. The drawings were received on 3/22/04. These drawings are acceptable.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Vincent Sunderdick (29,004) on Wednesday, April 14, 2004.

The application has been amended as follows:

In claim 1, lines 9-12, "wherein an auxiliary electrode is provided behind the opening of one of the main electrodes; and means for increasing conversion efficiency" has been replaced by --and a means for increasing conversion efficiency including an auxiliary electrode provided behind the opening of one of the main electrodes. --

In claim 7, lines 10-12, "wherein said means for increasing conversion energy includes an auxiliary electrode, which exhibits an opening on the axis of symmetry, provided between the main electrodes" has been replaced by -- and a means for increasing conversion energy including an auxiliary electrode, which exhibits an opening on the axis of symmetry, provided between the main electrodes. --

Allowable Subject Matter

3. Claims 1-4 and 7-30 are allowed.

4. The following is an examiner's statement of reasons for allowance:

5. As per claim 1 and dependent claims 2-4, and 10-14, the examiner found no reference

in the prior art that disclosed or made obvious a device for generating extreme ultraviolet and

soft X-rays form a gas discharge, operated on the left hand branch of the Paschen curve

comprising a means for increasing conversion efficiency including an auxiliary electrode

provided behind the opening of one of the main electrodes as recited in independent claim 1.

6. As per claim 7 and dependent claims 15-17 and 21-25, the examiner found no

reference in the prior art that disclosed or made obvious a device for generating extreme

ultraviolet and soft X-rays form a gas discharge, operated on the left hand branch of the Paschen

curve comprising a means for increasing conversion energy including an auxiliary electrode

which exhibits an opening on the axis of symmetry, provided between the main electrodes as

recited in independent claim 7.

7. As per claim 8 and dependent claims 9, 18-20 and 26-30, the examiner found no

reference in the prior art that disclosed or made obvious a device for generating extreme

ultraviolet and soft X-rays form a gas discharge, operated on the left hand branch of the Paschen

curve wherein each of the main electrodes has a plurality of openings as recited in independent

claim 8.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Application/Control Number: 10/019,475

Art Unit: 2882

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Courtney Thomas whose telephone number is (571) 272-2496.

The examiner can normally be reached on M - F (9 am - 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ed Glick can be reached on (571) 272 2490. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Courtney Thomas

DAVID V. BRUCE PRIMARY EXAMINER

an Brun

Page 4